

arzneimittel



Axitinib (Inlyta®)

Nierenzellkarzinom (Hypernephrom) » + Pembrolizumab (Keytruda®) » fortgeschritten, Erstlinie, hohes Risiko

Empfehlungen der Fachgesellschaft zum Einsatz neuer Arzneimittel

Herausgeber

DGHO Deutsche Gesellschaft für Hämatologie und
Medizinische Onkologie e.V.
Bauhofstr. 12
10117 Berlin

Geschäftsführende Vorsitzende: Prof. Dr. med. Claudia Baldus

Telefon: +49 (0)30 27 87 60 89 - 0

info@dgho.de

www.dgho.de

Ansprechpartner

Prof. Dr. med. Bernhard Wörmann
Medizinischer Leiter

Quelle

www.onkopedia.com

Die Empfehlungen der DGHO für die Diagnostik und Therapie hämatologischer und onkologischer Erkrankungen entbinden die verantwortliche Ärztin / den verantwortlichen Arzt nicht davon, notwendige Diagnostik, Indikationen, Kontraindikationen und Dosierungen im Einzelfall zu überprüfen! Die DGHO übernimmt für Empfehlungen keine Gewähr.

Inhaltsverzeichnis

1 Axitinib + Pembrolizumab, RCC, advanced, first line, high risk	... 2
---	--------------


Axitinib (Inlyta®)

Dokument: Fact Sheet

Spezifizierung: Nierenzellkarzinom (Hypernephrom) » + Pembrolizumab (Keytruda®) » fortgeschritten, Erstlinie, hohes Risiko

Stand: Mai 2020

1 Axitinib + Pembrolizumab, RCC, advanced, first line, high risk



Legende:

¹ N - number of patients

² RR - remission rate, in %

³ PFS - progression-free survival in months

⁵ OS - overall survival in months

⁷ SAE - serious adverse events, CTCAE grade 3/4

⁸ results for control, results for new therapy

⁹ hazard ratio for new therapy