



Lenvatinib (Kisplyx®)

Nierenzellkarzinom (Hypernephrom) » + Everolimus (Afinitor®) »
fortgeschritten, ab Zweitlinientherapie

Empfehlungen der Fachgesellschaft zum Einsatz neuer Arzneimittel

Herausgeber

DGHO Deutsche Gesellschaft für Hämatologie und
Medizinische Onkologie e.V.
Alexanderplatz 1
10178 Berlin

Geschäftsführender Vorsitzender: Prof. Dr. med. Lorenz Trümper

Telefon: +49 (0)30 27 87 60 89 - 0
Telefax: +49 (0)30 27 87 60 89 - 18

info@dgho.de
www.dgho.de

Ansprechpartner

Prof. Dr. med. Bernhard Wörmann
Medizinischer Leiter

Quelle

www.onkopedia.com

Die Empfehlungen der DGHO für die Diagnostik und Therapie hämatologischer und onkologischer Erkrankungen entbinden die verantwortliche Ärztin / den verantwortlichen Arzt nicht davon, notwendige Diagnostik, Indikationen, Kontraindikationen und Dosierungen im Einzelfall zu überprüfen! Die DGHO übernimmt für Empfehlungen keine Gewähr.

Inhaltsverzeichnis

1 Lenvatinib + Everolimus, RCC, advanced, second line.....	2
---	----------


Lenvatinib (Kisplyx®)

Dokument: Fact Sheet

Spezifizierung: Nierenzellkarzinom (Hypernephrom) » + Everolimus (Afinitor®) » fortgeschritten, ab Zweitlinientherapie

Stand: Mai 2020

1 Lenvatinib + Everolimus, RCC, advanced, second line



Legende:

¹ N - number of patients

² RR - remission rate, in %

³ PFS - progression-free survival in months

⁵ OS - overall survival in months

⁷ SAE - serious adverse events, CTCAE grade 3/4

¹⁴ results for control, results for new therapy

¹⁵ hazard ratio for new therapy

¹⁶ n. s. not significant