



Osimertinib (Tagrisso®)

Lungenkarzinom, nicht-kleinzellig (NSCLC) » EGFRmut » Stadium IB-III A

Empfehlungen der Fachgesellschaft zum Einsatz neuer Arzneimittel

Herausgeber

DGHO Deutsche Gesellschaft für Hämatologie und
Medizinische Onkologie e.V.
Alexanderplatz 1
10178 Berlin

Geschäftsführender Vorsitzender: Prof. Dr. med. Lorenz Trümper

Telefon: +49 (0)30 27 87 60 89 - 0
Telefax: +49 (0)30 27 87 60 89 - 18

info@dgho.de
www.dgho.de

Ansprechpartner

Prof. Dr. med. Bernhard Wörmann
Medizinischer Leiter

Quelle

www.onkopedia.com

Die Empfehlungen der DGHO für die Diagnostik und Therapie hämatologischer und onkologischer Erkrankungen entbinden die verantwortliche Ärztin / den verantwortlichen Arzt nicht davon, notwendige Diagnostik, Indikationen, Kontraindikationen und Dosierungen im Einzelfall zu überprüfen! Die DGHO übernimmt für Empfehlungen keine Gewähr.

Inhaltsverzeichnis

1 Adjuvant Targeted Therapy, NSCLC EGFRmut, Stage IB-III A.....	2
--	----------


Osimertinib (Tagrisso®)

Dokument: Fact Sheet

Spezifizierung: Lungenkarzinom, nicht-kleinzellig (NSCLC) » EGFRmut » Stadium IB-IIIa

Stand: Juli 2021

1 Adjuvant Targeted Therapy, NSCLC EGFRmut, Stage IB-IIIa



Legende:

¹ N - number of patients

⁵ OS - overall survival in months

⁸ EFS - Event-Free Survival

¹⁴ results for control, results for new therapy

¹⁵ hazard ratio for new therapy

¹⁸ n. r. - median not reached